





30.5	29.3	25.65	24.5	54104-5096	54104 - 5039	50
28.5	27.3	23.65	22.5	54104-4696	54104 - 4639	46
28.0	26.8	23.15	22.0	54104-4596	54104 - 4539	45
27.0	25.8	22.15	21.0	54104-4396	54104 - 4339	43
25.5	24.3	20.65	19.5	54104-4096	54104 - 4039	40
24.5	23.3	19.65	18.5	54104-3896	54104 - 3839	38
23.5	22.3	18.65	17.5	54104-3696	54104 - 3639	36
23.0	21.8	18.15	17.0	54104-3596	54104 - 3539	35
22.5	21.3	17.65	16.5	54104-3496	54104 - 3439	34
22.0	20.8	17.15	16.0	54104-3396	54104 - 3339	33
21.5	20.3	16.65	15.5	54104-3296	54104 - 3239	32
20.5	19.3	15.65	14.5	54104-3096	54104 - 3039	30
D	C	B	A	EMBOSSED TAPE	MATERIAL NO.	CIRCUIT
				ORDER No. オーダー番号		

REVISED EC NO: J2008-4308 DRWN:WABEI CHKD:THARYAMA APPR:NUKITA	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	±0.2	DRAWN BY Y. SAKIYAMA	DATE '04/01/22	TITLE 0.5 FPC CONN ZIF HSG ASSY FOR SMT RA UPR CONT -LEAD FREE-				
		10 OVER 30 UNDER	±0.25	CHECKED BY M. SASAO	DATE '04/01/22					
		30 OVER	±0.3	APPROVED BY M. SASAO	DATE '04/01/22	molex MOLEX INCORPORATED				
		ANGULAR	±3 °	MATERIAL NO.						
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-54104-071			1 OF 2	
		A		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

8

7

6

5

4

3

2

1

F


E

D

C

B

A




4. 材料(MATERIAL)
キャリアテープ(CARRIER TAPE): ポリプロピレン(POLYPROPYLENE)
トップテープ(TOPTAPE): PET, PE, PEF
リール(REEL): ポリスチレン(PS)<リサイクル材を含む>
POLYSTYRENE (PS)<RECYCLE MATERIAL CONTAINED>


5. 本製品は 54104-***92 の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 54104-***92.

NOTES

1. 梱包数量: 1500個/リール
NUMBER OF CONNECTORS: 1500PCS/REEL
2. リードテープ長さ LEAD TAPE LENGTH



3. トップテープの剥離強度: 0.1 ~ 1.3N {10 ~ 130gf}
(剥離方向は下図参照)
尚、本規格値は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)
PEELING OFF FORCE OF TOP TAPE: 0.1 ~ 1.3N {10 ~ 130gf}
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.
PEEL OFF SHOULD NOT BE ALLOWED, DURING TRANSPORTATION.



44	49.4	45.4	30.8	31.9	26.1	29.6	54104-5096	50
			28.8	29.9	24.1	27.6	-4696	46
			28.3	29.4	23.6	27.1	-4596	45
			27.3	28.4	22.6	26.1	-4396	43
			25.8	26.9	21.1	24.6	-4096	40
			24.8	25.9	20.1	23.6	-3896	38
			23.8	24.9	19.1	22.6	-3696	36
			23.3	24.4	18.6	22.1	-3596	35
			22.8	23.9	18.1	21.6	-3496	34
			22.3	23.4	17.6	21.1	-3396	33
			21.8	22.9	17.1	20.6	-3296	32
			20.8	21.9	16.1	19.6	54104-3096	30
キャリアテープ幅 CARRIER TAPE WIDTH	F	E	D	C	B	A	MATERIAL NO.	CIRCUIT

EC NO. DRW№: CHK#: APPR#:	EC NO. DRW№: CHK#: APPR#:	EC NO. DRW№: CHK#: APPR#:	REVISED '04/04/21 EC NO. J2004-3918 DRW№: Y.WADA CHK#: M.SASAO APPR: M.SASAO	RELEASED '04/01/22 EC NO. J2004-2032 DRW№: Y.SAKIYAMA CHK#: M.SASAO APPR: M.SASAO	DESCRIPTION	MATERIAL 材料	注記参照 SEE NOTES	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE —	DESIGN UNITS ☑mm □INCH	THIRD ANGLE PROJECTION ☉	DIMENSIONS: mm INCH ☐ mm INCH ☐ mm INCH ☒ mm ONLY		REVISE ON CAD ONLY
						10 UNDER 未満		±0.2	DRAWN BY & DATE Y.SAKIYAMA '04/01/22		TITLE: Embstp Pkg for 0.5 FPC Conn Zif Hsg Assy -LEAD FREE-				
						10 OVER 以上 30 UNDER 未満		±0.25	CHECKED BY & DATE M.SASAO '04/01/22						
						30 OVER 以上		±0.3	APPROVED BY & DATE M.SASAO '04/01/22				MOLEX INCORPORATED		
WIRE RANGE 適用電線範囲		—		ANGLE 角度	±3°	CAD FILENAME SD-54104-072.S01	MATERIAL NO. SEE CHART	DRAWING NO. SD-54104-072	SHEET NO. 1 OF 2						
INS. RANGE 被覆外径		—		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						SIZE B					

8

7

6




5

4

3

2

EN-02J(097) MXJ-54

EC NO.
DRWN:
CHK:
APPR:EC NO.
DRWN:
CHK:
APPR:EC NO.
DRWN:
CHK:
APPR:REVISED '04/04/21
EC NO. J2004-3918
DRWN: Y.WADA
CHK: M.SASAO
APPR: M.SASAORELEASED '04/01/22
EC NO. J2004-2032
DRWN: Y.SAKIYAMA
CHK: M.SASAO
APPR: M.SASAO

REV

MATERIAL
材料SHEET 1 OF 2 参照
REFER TO SHEET 1 OF 2FINISH
仕上げWIRE RANGE
適用線径範囲INS. RANGE
被覆外径GENERAL TOLERANCES:
(UNLESS SPECIFIED)
一般公差10 UNDER
未満

±0.2

10 OVER 30 UNDER
以上 未満

±0.25

30 OVER
以上

±0.3

ANGLE 角度

±3°

SCALE
—MODEL NO.
DESIGN UNITS
mm INCHDRAWN BY & DATE
Y.SAKIYAMA '04/01/22CHECKED BY & DATE
M.SASAO '04/01/22APPROVED BY & DATE
M.SASAO '04/01/22CAD FILENAME
SD-54104-072.S02THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.54104-**-96
THIRD ANGLE
PROJECTIONTITLE: Embstp Pkg for
0.5 FPC Conn Zif Hsg Assy
-LEAD FREE-

MOLEX INCORPORATED

MATERIAL NO.
SEE CHARTDRAWING NO.
SD-54104-072SHEET NO.
2 OF 2SIZE
B